INDEX







FORESTRY
RECREATION
AGRICULTURE
WILDLIFE — UNGULATES

WILDLIFE - WATERFOWL



certal cab noticulary oldefupo on

And celebrates in the processor of a processor of a

destination of the properties of the properties

Description of the control of the co

#### PERICULIUR

Prese agrecultural capability maps can be used at the regional level for making decisions on land improvement.
These agrecultural capability maps can be used at the regional level tor making decisions on land accessments.
and farm consolidation, for developing land-use plans, and for preparing equilibite land assessments.


Intelligence of the control of the c

projectifies of each soil (or, the production of all field crops. Obserting of the crops of the

### AGRICULTURE



7450± 041 140



## LAND-USE PLANNING

The above section of a British Columbia land capability analysis map illustrates how one province is applying the Canada Land Investing videa in the Indusery planning process. Such maps are prepared from a naisy is of the indidibuted section capability maps, supplemented by information on present land use and socioeconomic conditions for expect set provide guidelines for indivision planners by indiringing the most suitable uses for lands in facilities of the object is to privide guidelines for indivision planners by indiringing the most suitable uses for lands in facilities.

by deminying the Jakes of Classes I, 2, and 3 (in agriculture (A1), Develop (F)), Accration (R1) subguistes (U1), and waterfold (V1) is a possible to determine the destination and accrage of the best agas for each final residuce activity. This size reveals the areas where land-use conflict may arise. After the high-potential areas are plotted factors 4 has for agriculture (A4) and deserty (F4) are added, followed by the areas suitable for preential forage (A5). Finally, this tage without nears (C) are indicated, and the remaining land is classified as having low potential (U) are all and resource uses.

Additional study is carried out in those areas having potential for more than one use to determine it, under good management. Integrated use is or is not possible. On completion of this analysis, prime uses are assigned to these areas, recognizing that in some of them secondary uses will also be possible.

When the land-use planner inforgation the Canada Land Inventory physical capability data with information or internal and water prosecures and the Committee and social expensions of land out set is able to formulate regional hand-use plans, which can serve as guidelines for the cidedy and effective development of a region stand-use plans, which can serve as guidelines for the cidedy and effective development of a region stand-use plans, which can serve as guidelines for the cidedy and effective development of a region stand-user continues are regional to the control of the cidedy and effective development of a region stand-user control in time because the demands rando on our land resources are regional processing, environmental problems such as all and water political random as becoming more consequences are regional fectivologies of except our translated productions to make among changes in their final distances and control of the cont

## PLANIFICATION DE L'HTHISATON DES TERRES

En catin c'édissis d'anàyas des possibilités des feres de la Colombie-Britannique illustre la fiscen deut une province papique sé domiées de l'invendure de feres de Lacadé à la planicition de utilisation des trests Cesta Carles sont préparées à la suite d'une analyse des carles d'aplitude de chabun des sectours, compilété par de carles sont préparées à la suite d'une analyse des carles d'aplitude de chabun des sectours, compilété par de revasignements sur utilisation des trests el les conditions socio-conomiques actuelles l'objectif via consisté à feurnir carlames directives aux planifications en indiquent le métiteur usage des teires en fonction de feurnir petitude prévigues.

(UT), et les dieseux aqualques (VII), il cal possible de determiner la ixpantión el la superiiro des mellieures 2004 pour chacund des acel·licia sates sur las ressources du sol. De classement, perma austi d'indique, les zones ou viulisation des sols pourrai etre conteste. Après avoir désimal les zones otinant d'accidentes possibilités on géopholo c'ette es classes à pour l'agroviture (As) et els olives (FF), sivoires des zones propres si le croissance des plantes fourniques vivaces (AS). On indique lendament les grandes comes unbanes (C), les fierras restantes sent considérées comes ordinant la label posibilité (L) à tou gland d'utilisation.

Des études supplémentaires sont entreprises dans les zones qui offrant des possibilités d'utilisation multiple alt de déterminer si les possibles, sous bonne gestion, d'utilisers simultanément les ferres à des fina diverses. Lorsqu cettle analyse est terminée, on détermine les principaus, usages réservés à ces zones, en notant que certaine

de chier delle post dusceptiolistic d'aire Unitente à deut du associations de l'immension des texts du Canadas uniter de phindres physiques pour crestignements concernant les resources en eau et de l'immension des texts de canada une tradicion dell'amments économiques di residuar de l'unitisation des terres i lest on measure d'objorer des plans répondant de l'institution de l'immension pouvait survir à consentir s'annéagques enthétiques et destroit des consentires de de ministra comme la politique de l'ammension de l'institution de la schimologie de rendement de ministra comme la politique de l'ammension de l'institution de la schimologie de ronne de destroit de l'institution de la rendement de l'institution de la schimologie de ronne de l'institution de la schimologie force ne indevitte destroit de l'institution de la rendement de l'institution de la schimologie force ne indevitte destroit de l'institution de la rendement de l'institution de l'institution de la schimologie force ne indevitte destroit de l'institution ANAMARIA STATES OF A CHARLES STATES AND A CHARLES AND A CHARLES STATES AND A CHARLES AND A CH

BECENTIAL (SELT, Indivinum no et al glavo 9 (pairs 4 i gaza 4 i gaza 1 i gazanite), en processo de la consequencia en conseque

te 1800 in Subdistance de Si source presentation and subdistance and subdistan

Status no service/prise to morressour contract and morressource and morr

Designation of the properties of the properties


#### INTRODUCTION

CEX UNIVER MONITORING DESCRIPTION OF THE MONITORING DESCRIPTION OF

nobines grant and the second of the second second of the s


Into stated captured in the provision of the provision of

makes and control photography of participation of provided the provided provided the provided provided the provided provided provided the provided provided



INVENTAIRE DES TERRES DU CANADA

GUIDE DE PLANIFICATION
DE L'UTILISATION DE RESSOURCES



#### FORESTRY

The supplying of land capability for fleestry is based on a national classification system comparable with the other Canada Land Inventority sectors. Land is raised according to server classes depending on its capability to grow commiscial imbor in areas stocked with the opinium number and species of lines. This raising considers his band in its required table, without production of the control of the contro

The capability mapping is accomplished through interpretation of air photographs and field surveys. The assignment of land units to a capability class is made on the basis of all known or inforced information about the unit, including subsoit, soil profile, depth moisture, leftlility, landform, climation, and vegetation.

As prown in the symbols on the above map the capability class is indicated by large arabic numerals. The smaller commards following the capability states pin the proportion of that class out of a last to liet. The capability solicities, which is a capital letter, indicated the environmental limitations to tree growth. The relater under the capability class represent the native rise represent and can be expected to yield the volume of timber associated with the capability before the capability class represent the native rise represent and the capability class references the capability class references the capability class represent the native rise represent continues the capability class in the capability class is not continued to the capability class in the capability class is indicated by the capability class in discussion of the capability class is indicated by a capability class in indicated by a capability class is indicated by a capability of the capability class is indicated by a capability class in indicated by a capability class in indicated by a capability class in indicated by a capability class is indicated by a capability class in indicated by a capability class indicated by a capability class in indicated by a capability class indicated by a capability class in indicated by a capability class indicated by a capability class in indicated by a capa

Those forestry maps represent the first comprehensive set of forest land capability maps for Canada. The map are a valuable source of resource information for application in regional planning for the forestry sector as well at the matter and the properties of the forestry sector as well at the matter and the properties of the forestry sector as well at the matter and the properties of the forestry sector as well at the matter and the properties of the forestry sector as well at the matter and the properties of the forestry sector as well at the map are the properties of the forestry sector as well at the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the forestry sector as well as the properties of the pr

#### FORÊT

Unestate des possibilités des terres pour la production forestitée est foil d'autés un classement national compatrés à carp des units sectiures de l'invention. Les terres anni prantigée en sept classes séen les un potentiel pour la production commarciale du bois sur les superlicées portant les méliters extences en quantité optimiser. L'evalutante plus d'après stat naturel de trains, aussi présintainner sans ambiéraite de dans l'étates de la commarciale du durains, autres présintainner sans ambiéraite portentier l'étimisation de cartaines limitations, donc une plus jotte productivé et un méliteur tais entenue, Les métieurs terres pour la production foréstitées une crietée de Classe ; l'éclié d'Classe ? n'e pouvent

Les carries des possibiliés forestières sont drossées d'après l'interprétation des photographies aèremes et les referées sur le rérain. L'altribution d'une classo de possibilités à une unité geographique, répose sur toules les informations connués ou déduites concornant cette unité, y compris le sous-sol, le profit de sol, la profondeur. Extendité la bestitible lemondétique servaie le fortunant als aviodations.

Comes indiqué our la carte c'i-classus, les classos sont représentées par des chillres aixes. Les chillres puts placés pare les chillres du classes childres de l'access de commert la proportion de cert classes un un total d'aux Les pour-classes per la participat de la commercia de l'access de

Ces cartes constituent la première couverture complète des possibilités torestières du pays et sont une source précieuse d'information pour l'application d'un plan régional d'utilisation du terrain pour la forêt ou pour des fins publishes.



## WILDLIFE WATERFOWL

International of the Capacitative of whateries is used an initivate produced with the all of the Capacitae Visition qualitative produced by the Capacitae Capacitae of the Capacitae Capa

Gapability mapping is accomplished through interpretation of air photographs and by field surveys. Localion of the fand, access, ownership, distance form cities or rands, and protein condition of the land unit are not considered in assigning a capability of the fand and the rand of the mapping and production on a unit are used only as additional information. Excessive or insufficient hunting pressives do not firm that capability of the fand and are not seed in assigning the production of the p

ing cassinctions values.

On the above map, the large numerals indicate the classes. Where two or more large numerals are used, the fellowing small numeral, indicate the proportion of each class out of a total of 10. The betters following the fare numeral indicate subclasses that pelpy for the class. The colors provide a convenient means of separating the various class write. The coloring relates to the single class designator or, where more than one designator is use

## **OUISEAUX MIGRETEURS (SAUVAGINE)**

L'inverdiar des possibilités des leves paur les classes migrateurs (saurègapins se londe sur un système national de classement mas projecte cooldopartiers were la Senice condenie de la tieur. Le système componed sept classes d'appliude. La production de sauragine empe une quomble et une qualide de nouvriture sufficiantes, un couvre veglés et la mapse de adjustifique va pour les autres de source de creases de la reproduction. Le production de la composition de la compositi

L'interprétation des photographies aériennes et les levés sur le terrain parametient de d'respor les cartiers d'abilivaide. L'attribution d'une classes d'épitude ne tener pas compaig de l'emplacement, des factiles d'accès, du régimi voir de la compaignement de la compaignement de la compaignement de la compaignement de l'acceptation de l'acceptation de l'acceptation de l'acceptation d'original de l'acceptation d'original de l'acceptation de l

Sur la carte ci-dessus, los gras chiffres indiquent los classes. La ou de petits chiffres apparaisant, its exprimen on disclames, la proportion de character de activace por pagent a l'ensemble de la zone cite situres qui accompagnant las numeros de classes, indiquent les sous-classes. Les couteurs permetient de distinguer (octament de los porticis del citates d'alternates, Character classes en couteurs permetient de distinguer (octament de la proporticis del citates d'alternates, Character classes en couteur proper, les supericies component plusiaurus classes porticis del citates d'alternates, Character classes en couteur proper, les supericies component plusiaurus classes proporticis del citates d'alternates, Character classes en couteur proper, les supericies component plusiaurus classes properties de citates d'alternates, Character classes en couteur proper, les supericies component plus de la contracte de la contracte



## RECREATION

The increasing demand in recent years for land in a park, and other outdoor recession gaped made reversion and improved considerable in the Canast and intender program. The primary pictic in of the Recentage and invender program. The primary pictic in of the Recentage absent is to provide an estimate of the quantity, quality, and location of outdoor necessional tands in the solide parties or provided as bapic information for planning recreational super in the receiver. The inventory classes recentling all not provided as the provided to the planning recreational super capability from Class 1 with very low capability for Class 1 with very low capability for Class 1 with very low capability. Each of the seven classes in

The class of the classication is the quantity of reclasional use that a rand unit can attract and withstand without under deterioration of the resource base. This is, a faid until with a high capability feature such as a bathing heach could accommodate a large number of users with filled damage to the beach area, whereas an alpine medium would remain the many use by visitors would very quickly damage the finglist ground come addown out the rank much lower because heavy use by visitors would very quickly damage the finglist ground come and the rank much lower because heavy use by visitors would very quickly damage the finglist ground some and the remaining the rank much lower the remaining the

main facilities received investment of the property of the pro

Not represented are C. canoning, O. deep inshore water F. waterfalls or reader. G. placter view or experience. H. Historical or archaeological interest. J. gathering and collecting. M. small Surface vatiers. O, upland widdle, S. sking; T. thermal springs. U deep water boating: W. walland wildlife. X. other leafures (rarely used); and Z. manmade structures stych as does not bridges).

made structures (such as dams and bridges).
The information is being used in the preparation of provincial and regional land-use plans, park planning, in the


### RÉCRÉATION

La demande fouyeurs crossante de con devenires années pour des terrains de parc et de récursion et plan à rail responde l'importance des exeture dans les programme del Terrains de stierre du Canala. L'objectif foreigne années l'importance de stierre du Canala. L'objectif foreigne de la consider à la consider de la qualité de les qualités de les qualités de les qualités de la consider à l'entre de la consider à l'entre de la consider à l'entre de l'entre de la consider à l'entre de la consider de la consider à l'entre de la consider à l'entre de la consideration de la considerati

Le principa classement est fondé sur le volume d'utilisation qui peut être attenu et soutienu à deş fins fecha litres dans une sceloin de le prei donné sans allerer outre masure la durabilité de la ressource de base. Ainsi une section de le rete donné pass allerer outre masure la durabilité de la ressource de base. Ainsi une section de lezre qui office de trist bonnes possibilités, soit par exemple, une prése, part recevir beaucour avair de la result de la resultant de la resu

Les sous-classes suivantes indiquées sur la cartie reprécionent les principals visages recrealités yon peut liter d'uns section de ferre pour chaques section, incis des valages les plus appropries sont indiquées l'Apéche à la ligne. B-plage. E-végétation importante du point de vue récréat. Ik-camping organise. L'eviet. Il-viogenent (challet) passages agricolos. G-diversité d'un relief ou de responsavoires en terre de large primetaint toute une gamme à delivité.

Les sour-classes seivendes ne sont pas reprisentées, C-canologo, O-eau protonde paré su rivage. E-chaires d'au ou rapides, Cobérnation ou d'utudi de désioner. Hestes d'indire Haberque ou rapide ne dévant de la commanage et collection. Mepaties appeas d'aux O-laures ferreires à-sul. 1-sources ferreines. U-marigation en œu profende W. Bussa appaique, X-parces canadésidisses (serreines enlegén) où 2-académinages articules (barrages etc.). Les representes sont utilisés pour la préparable des plans prévincaux et régionaux d'utilisés not etc.). Les representes sont utilisés pour la préparable des plans prévincaux et régionaux d'utilisés not etc.). Les representes sont utilisés pour la préparable des plans prévincaux et régionaux d'utilisés not etc.). Les républications de l'extende de l'acut d'utilisés de l'acut d'acut d'acut d'utilisés de l'acut d'acut d'acut d'acut de l'acut d'acut d'acut



# WILDLIFE UNGULATES

The mapping of Iand capability for unguistics follows a national system developed with the sid of the Canadian Widdlid Service and the game Parchies of the provinces. The unguistid sector uses sown classes, like the others in addition to class and subclass, the system indicates the unguistia species to which this classification relates. Capability for unguistid production implies a sufficient quantity and quality of look, protective cover, and aprect or meet the

The land surface is mapped in nonlogarious within base on pryital charallectrics subjection to surjource. Ye assignment of Loss number to each and on this base of a horson of interest relevant information. Including para material, soil profite, depth, moisture, fartifity, landstorn, climatic factors, and vegatation, which reflect the qualit and quantity of lood and occess variables to widelice. Existinction is based on the hallost state of this land under good preciscal and feasible widdle management practices. The class designation indicates the degree of limitation the such easy indicates the factors that does the faintains of the such designation.

Cappability mapping is accomplished through integretation of air photographs and by field surveys. Location or the fand, access to lit, illumentally obstance from cities or roads, and greens condition of the fand with real considered in assigning a capability class. Present cover and unquiste production in an area is used only as additional information. Excessive or insultinent houlding pressures do not little the capability of land had had an oral used in

On the mad above, capability classes are indicated by large numerals. The letters following the numeral indicate the subclasses (initiations). The letters beneath the numeral indicate the species to which the capabilities (initiations). The letters beneath the numeral indicate the species is which the capabilities classification refers. On the above may the species indication is M. E and O, representing moose, etc. and deer The colors of the mass crowde a quick reference to the classes.


# FAUNE ONGULÉE


Unwenture das possibilités des terres pour la faume angulas es fonde sur un système national de classement mis au point en collaboration nece l'es rivinci canation de la faume oi les procince provinciture de la chasse. C asystème comprend sept classes d'apiniode. En plus des classes et des sous-classes, lo système indique les espèces d'angulas auxquets on effete. Les ongules empent une quantité of une qualité de nouvriture suttesantes un couvert végétal, et un applica utilissants pour l'imponité a leurs bésons en maistre de survisi. de crossance et de reproducte vegétal, et un applica utilissants pour l'imponité a leurs bésons en maistre de survisi. de crossance et de reproducte producte des consistes que survisants pour les entre des consistes et des productes de l'activités de la consiste de l'activité de la consiste de l'activité de l'


Les superioses conjugraphices forment des unites homogénes selon certaines caractéristiques phrysiques particularement importantes pour les opquês. On ausagene un importine de classa à chaque unus, et mention des ran-seignements commun de superiorité particularement production des ran-seignements commun de supposée fourchent las matériaux engrinds. Le profit du soit, se profinedurer. L'hammént la trafficial terrificia, las Escheurs clamiques de la bepétiblique, ou ser la destination des particulares de l'apposition des pour la faisen La classification est fondés our l'attent naturel du terrais soumnés à un régimé de convervaire de l'alle sur le la position de résidant les une mandres de la classification est de résidant les une mandres de de l'assert sollage de dégré de l'imitation les convervaires de l'alle une la los legiolotics et dégrés de l'imitation les convervaires de l'alle une la los legiolotics et dégrés de l'imitation les convervaires de l'alle l'autre de de l'assert les des des des des l'assertes de l'autre de l'activité de degrés de l'imitation les des l'assertes de l'autre de l'activité des des des l'activités de l


L'infagretablen des photographies aériennes et les leviés eur le terrain parmettent de diesser les carries d'aplitade. L'entrebillon d'une classe d'aptitude ne later plaz compte de l'emplacement, og tartités d'accès, du régime foncier, de la distance des villes ou des routes et de l'étape de l'emplacement, og tartités d'accès, du régime foncier, de la distance des villes ou des routes et de l'étape active le l'emplacement et la présente production d'arquisté dans une zone servant, aux de representationness semblementations. La chieve de parties de l'emplacement semblementation et la chieve autresser de l'emplacement de l'emplacement semblementations. La chieve autresser de l'emplacement de l'emplacement de l'emplacement semblement de l'emplacement semblement de l'emplacement de l'emplacem


ersunsament returned of the produced such that the produced of the produced such as the produced such that the pro













# INDEX





LA FORÉT
LA RÉCRÉATION
L' AGRICULTURE
LA FAUNE — ONGULÉS
LA FAUNE — SAUVAGINE